

according to Regulation (EC) No 1907/2006

## **MITANOL X-Force 0W-40 Racing**

Revision date: 23.09.2021

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

MITANOL X-Force 0W-40 Racing

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Motor oil multigrade

# Uses advised against

No information available.

#### 1.3. Details of the supplier of the safety data sheet

Company name:	MITANOL GmbH	
Street:	Industriestraße 8	
Place:	D-49577 Ankum	
Telephone:	+49 (0)5462/7470-50	Telefax:+49 (0)5462/7470-33
e-mail:	info@mitanol.de	
Internet:	www.mitanol.de	
Responsible Department:	Produktsicherheit / Product Safety sicherheitsdatenblatt@mitanol.de	
1.4. Emergency telephone_ number:	Giftinformationszentrum Nord (Göttingen) +49 (0)551/19240	

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

#### Regulation (EC) No. 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No. 1272/2008.

### 2.2. Label elements

#### Additional advice on labelling

According to EC directives or the corresponding national regulations the product does not have to be labelled.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			25 - 50 %
	265-157-1	649-467-00-8	01-2119484627-25	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
64742-54-7	265-157-1	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified	25 - 50 %
	dermal: LD50 = > 5000 mg/kg; oral: LD50 = > 5000 mg/kg		



according to Regulation (EC) No 1907/2006

## **MITANOL X-Force 0W-40 Racing**

Revision date: 23.09.2021

**Further Information** 

This mixture contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

Remove affected person from the danger area and lay down.

Do not leave affected person unattended.

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## After inhalation

Provide fresh air. Call a doctor if you feel unwell.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off contaminated clothing and wash it before reuse. In case of skin irritation, consult a physician.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting.

In all cases of doubt, or when symptoms persist, seek medical advice.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Use water spray jet to protect personnel and to cool endangered containers.

Co-ordinate fire-fighting measures to the fire surroundings.

- Water spray jet
- Carbon dioxide (CO2).
- Extinguishing powder
- Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

- In case of fire may be liberated:
  - Carbon monoxide (CO)
  - Carbon dioxide (CO2).
  - Pyrolysis products, toxic

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Use of protective clothing In case of fire and/or explosion do not breathe fumes.

Page 2 of 9



according to Regulation (EC) No 1907/2006

## **MITANOL X-Force 0W-40 Racing**

Revision date: 23.09.2021

### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### **General measures**

Keep people at a distance and stay on the windward side. Special danger of slipping by leaking/spilling product.

#### For non-emergency personnel

Wear protective gloves/protective clothing and eye/face protection.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Prevent spread over a wide area (e.g. by containment or oil barriers).

#### 6.3. Methods and material for containment and cleaning up

#### For containment

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation. Remove from the water surface (e.g. skimming, sucking).

#### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid formation of oil dust. Use personal protection equipment. Do not put any product-impregnated cleaning rags into your trouser pockets. Clear spills immediately.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary. Take precautionary measures against static discharges. Keep away from sources of ignition - No smoking.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place. Keep only in the original container. Store in a cool dry place.

## Hints on joint storage

Do not store together with:

- Materials capable of ignition under almost all normal temperature conditions
- Explosives

# 7.3. Specific end use(s)

Motor oil multigrade

## **SECTION 8: Exposure controls/personal protection**

Page 3 of 9



according to Regulation (EC) No 1907/2006

# MITANOL X-Force 0W-40 Racing

Revision date: 23.09.2021

Page 4 of 9

# 8.1. Control parameters

## **DNEL/DMEL** values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified			
Worker DNEL,	long-term	inhalation	systemic	2,73 mg/m³
Worker DNEL,	long-term	inhalation	local	5,58 mg/m³
Worker DNEL,	long-term	dermal	systemic	0,97 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	local	1,19 mg/m³
Consumer DNEL, long-term		oral	systemic	0,74 mg/kg bw/day

#### **PNEC** values

CAS No	Substance		
Environmental	compartment	Value	
64742-54-7	54-7 Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified		
Secondary poisoning 9,33 mg/kg			

### Additional advice on limit values

To date, no national critical limit values exist.

## 8.2. Exposure controls





#### Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

#### Protective and hygiene measures

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### Eye/face protection

During filling, metering, mixing and sampling must be used: Wear eye/face protection. DIN EN 166

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Recommended glove articles: EN ISO 374

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0,4 mm

Breakthrough times and swelling properties of the material must be taken into consideration. Breakthrough time: > 8h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Wear suitable protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

# **MITANOL X-Force 0W-40 Racing**

Revision date: 23.09.2021

Page 5 of 9

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties Physical state: Liquid Colour: brown Odour: Mineral-oil-like Odour threshold: not determined Test method pH-Value: not determined Changes in the physical state Melting point: not determined Boiling point or initial boiling point and not determined boiling range: Pour point: -51 °C ISO 3016 Kinematic viscosity: 230 °C DIN ISO 2592 Flash point: Flammability Solid/liquid: not applicable Gas: not applicable Explosive properties Product is not explosive. However, formation of explosive air/vapour mixtures are possible. Lower explosion limits: 0,6 vol. % Upper explosion limits: 6,5 vol. % Self-ignition temperature Solid: not applicable Gas: not applicable Decomposition temperature: not determined **Oxidizing properties** The product is not: oxidising. Vapour pressure: not determined (at 20 °C) Density (at 15 °C): 0,841 g/cm3 DIN 51757 Water solubility: practically insoluble Solubility in other solvents not determined Partition coefficient n-octanol/water: not determined Viscosity / kinematic: 75.6 mm<sup>2</sup>/s DIN 51562 (at 40 °C) Relative vapour density: not determined Evaporation rate: not determined 9.2. Other information Solid content: not determined

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.



according to Regulation (EC) No 1907/2006

## MITANOL X-Force 0W-40 Racing

Revision date: 23.09.2021

Page 6 of 9

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

The formation of combustible vapours is possible at temperatures above: Flash point Reaction with: Oxidising agent

#### 10.4. Conditions to avoid

Avoid: Thermal decomposition

#### 10.5. Incompatible materials

- Materials to avoid:
  - Oxidising agent

#### 10.6. Hazardous decomposition products

- Hazardous combustion products:
  - Carbon monoxide (CO)
  - Carbon dioxide (CO2)
  - Pyrolysis products, toxic

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified				
	oral	LD50 > 5000 mg/kg	Rat	Study report (1982)	OECD Guideline 401
	dermal	LD50 > 5000 mg/kg	Rabbit	Study report (1982)	OECD Guideline 402

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met. The product contains less than 3% DMSO extract (method IP346). A classification as a carcinogen with R45 is deleted. (Note L)

#### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Additional information on tests

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

### 11.2. Information on other hazards

# Endocrine disrupting properties

No information available.



according to Regulation (EC) No 1907/2006

# MITANOL X-Force 0W-40 Racing

Revision date: 23.09.2021

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64742-54-7	Distillates (petroleum), hydrotreated heavy paraffinic; Baseoil - unspecified					
	Acute fish toxicity	LL50 > 100 mg/l	96 h	Pimephales promelas	, ,	OECD Guideline 203

## 12.2. Persistence and degradability

Not readily biodegradable (according to OECD criteria)

## 12.3. Bioaccumulative potential

Based on the n-octanol/water partition coefficient significant accumulation in organisms is not expected.

## 12.4. Mobility in soil

No information available.

# 12.5. Results of PBT and vPvB assessment

## The product has not been tested.

## 12.6. Endocrine disrupting properties

No information available.

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### Land transport (ADR/RID)

No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.
No dangerous good in sense of this transport regulation.

Page 7 of 9



according to Regulation (EC) No 1907/2006

	MITANOL X-Force 0W-40 Racing	
Revision date: 23.09.2021	Pa	age 8 of 9
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	No dangerous good in sense of this transport regulation.	
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.	
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.	
14.4. Packing group:	No dangerous good in sense of this transport regulation.	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
No dangerous good in sense of this tr		
14.7. Maritime transport in bulk according		
No dangerous good in sense of this t	ansport regulation.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	0,00%	
Information according to 2012/18/EU	Not subject to 2012/18/EU (SEVESO III)	
(SEVESO III):		
National regulatory information		
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for sub	stances in this mixture were not carried out.	
SECTION 16: Other information		
Changes		
-	m the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,15,16.	
Abbreviations and acronyms		
	rt des marchandises dangereuses par Route	
	International Carriage of Dangerous Goods by Road )	
IMDG: International Maritime Code fo		
IATA: International Air Transport Asso	clauon f Classification and Labelling of Chemicals	
	ing Commercial Chemical Substances	
ELINCS: European List of Notified Ch		
CAS: Chemical Abstracts Service		
LC50: Lethal concentration, 50%		
LD50: Lethal dose, 50%		

LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%



according to Regulation (EC) No 1907/2006

# MITANOL X-Force 0W-40 Racing

Revision date: 23.09.2021

Page 9 of 9

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container SVHC: Substance of Verv High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

## Relevant H and EUH statements (number and full text)

H304 May be fatal if swallowed and enters airways.

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)